

LOT DETAILS

Market Support - Surplus Sales | Lot 24.12 | Total Quantity (PCS): 12,043,000

Lot Summary

Warehouse	Los Angeles, California	Categories	Passive Devices
Number of Items	67	Total Quantity	12,043,000 PCS
Pallet Weight	790.0 lb (358.3 kg)	Pallet Dimensions	48.0 x 41.0 x 61.0 in (121.9 x 104.1 x 154.9 cm)
Sales Term	Complete pallet lot; sold as-is; all sales final; no returns.	Lot	Lot 24.12

Items

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
1	CL05B392KBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	2	750,000	-	Chip Capacitor, 0402(1005), X7R, 3900pF, +/-10%, 50V, Standard 7",Non-RoHS
2	CL05B682KANC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	10,000	-	Chip Capacitor, 0402(1005), X7R, 6800pF, +/-10%, 25V, Standard 7", Non-RoHS
3	CL05C040CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	120,000	-	Chip Capacitor, 0402(1005), COG, 4.0pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
4	CL05C070CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	2	200,000	-	Chip Capacitor, 0402(1005), COG, 7.0pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
5	CL05C070DBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	6	270,000	-	Chip Capacitor, 0402(1005), COG, 8.0pF, +/-0.5pF, 50V, Standard 7", Non-RoHS
6	CL05C080CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	40,000	-	Chip Capacitor, 0402(1005), COG, 8.0pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
7	CL05C080DBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	80,000	-	Chip Capacitor, 0402(1005), COG, 8.0pF, +/-0.5pF, 50V, Standard 7", Non-RoHS
8	CL05C090DBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	100,000	-	Chip Capacitor, 0402(1005), COG, 9.0pF, +/-0.5pF, 50V, Standard 7", Non-RoHS
9	CL05C100DBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	60,000	-	Chip Capacitor, 0402(1005), COG, 10pF, +/-0.5pF 50V, Standard 7", , Non-RoHS
10	CL05C110JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	40,000	-	Chip Capacitor, 0402(1005), COG, 11pF, +/-5%, 50V, Standard 7", Non-RoHS
11	CL05C120JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	10,000	-	Chip Capacitor, 0402(1005), COG, 12pF, +/-5%, 50V, Standard 7", Non-RoHS
12	CL05C130JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	10,000	-	Chip Capacitor, 0402(1005), COG, 13pF, +/-5%, 50V, Standard 7", Non-RoHS
13	CL05C150JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	2	300,000	-	Chip Capacitor, 0402(1005), COG, 15pF, +/-5%, 50V, Standard 7", Non-RoHS
14	CL05C200JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	60,000	-	Chip Capacitor, 0402(1005), COG, 20pF, +/-5%, 50V, Standard 7", Non-RoHS
15	CL05C330JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	10,000	-	Chip Capacitor, 0402(1005), COG, 33pF, +/-5%, 50V, Standard 7", Non-RoHS
16	CL05C3R9CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	90,000	-	Chip Capacitor, 0402(1005), COG, 3.9pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
17	CL05C430JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	50,000	-	Chip Capacitor, 0402(1005), COG, 43pF, +/-5%, 50V, Standard 7", Non-RoHS
18	CL05C4R7CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	2	150,000	-	Chip Capacitor, 0402(1005), COG, 4.7pF, +/-0.25pF, 50V, Standard 7", Non-RoHS

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
19	CL05C510JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	40,000	-	Chip Capacitor, 0402(1005), COG, 51pF, +/-5%, 50V, Standard 7", Non-RoHS
20	CL05C5R1CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	30,000	-	Chip Capacitor, 0402(1005), COG, 5.1pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
21	CL05C620JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	330,000	-	Chip Capacitor, 0402(1005), COG, 62pF, +/-5%, 50V, Standard 7", Non-RoHS
22	CL05C6R2CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	120,000	-	Chip Capacitor, 0402(1005), COG, 6.2pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
23	CL05C7R5CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	10,000	-	Chip Capacitor, 0402(1005), COG, 7.5pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
24	CL05C9R1CBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	1	50,000	-	Chip Capacitor, 0402(1005), COG, 9.1pF, +/-0.25pF, 50V, Standard 7", Non-RoHS
25	CL05F683ZONC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0402	2	500,000	-	Chip Capacitor, 0402(1005), Y5V, 0.068uF, -20%~+80%, 16V, Standard 7", Non-RoHS
26	CL10B182KCNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	72,000	-	Chip Capacitor, 0603(1608), X7R, 1800pF, +/-10%, 100V, Standard 7", Non-RoHS
27	CL10B222MBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	2	112,000	-	Chip Capacitor, 0603(1608), X7R, 2200pF, +/-20%, 50V, Standard 7", Non-RoHS
28	CL10B272KCNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	72,000	-	Chip Capacitor, 0603(1608), X7R, 2700pF, +/-10%, 100V, Standard 7", Non-RoHS
29	CL10B333KANC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	52,000	-	Chip Capacitor, 0603(1608), X7R, 0.033uF, +/-10%, 25V, Standard 7", Non-RoHS
30	CL10B563KONC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	4	376,000	-	Chip Capacitor, 0603(1608), X7R, 0.056uF, +/-10%, 16V, Standard 7", Non-RoHS
31	CL10B822KBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	12,000	-	Chip Capacitor, 0603(1608), X7R, 8200pF, +/-10%, 50V, Standard 7", Non-RoHS
32	CL10B823KONC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	3	296,000	-	Chip Capacitor, 0603(1608), X7R, 0.082uF, +/-10%, 16V, Standard 7", Non-RoHS
33	CL10C060DBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	152,000	-	Chip Capacitor, 0603(1608), COG, 6.0pF, +/-0.5pF, 50V, Standard 7", Non-RoHS
34	CL10C271JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	6	552,000	-	Chip Capacitor, 0603(1608), COG, 270pF, +/-5%, 50V, Standard 7", Non-RoHS
35	CL10C910JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0603	1	12,000	-	Chip Capacitor, 0603(1608), COG, 91pF, +/-5%, 50V, Standard 7", Non-RoHS
36	CL21C131JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	4,000	-	Chip Capacitor 0805 C0G 130 pF +/-5% 50V Standard 7"
37	CL21C271JBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	4,000	-	Chip Capacitor 0805 C0G 270 pF +/-5% 50V Standard 7"
38	CL21C470KBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	8,000	-	CHIP CAPACITOR 0805 C0G 47 PF +/-10% 50V STANDARD 7"
39	CL21F153ZBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	28,000	-	Chip Capacitor 0805 Y5V 15K pF -20%~+80% 50V Standard 7"
40	CL21F184ZONC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	40,000	-	0805 0.18MF 16V Y5V +80/-20% MLCC
41	CL21F223ZBNC-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	16,000	-	Chip Capacitor 0805 Y5V 22K pF -20%~+80% 50V Standard 7"
42	CL31F225ZOND-SMS-T30	SMS, Samsung Electro-Mechanics	Passive	T30	C1206	1	10,000	-	Chip Capacitor 1206 Y5V 2.2M pF -20%~+80% 16V Standard 13"
43	RC1608F4752CS-SMS-TR70	SMS, Samsung Electro-Mechanics	Passive	TR70	C0603	1	5,000	-	Chip-R, 47.5K Ohm, 1%, 0603(1608), RoHS, 7'Reel, 1/10W, Thick Film Chip Resistor
44	RC2012F1023CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	1	40,000	-	Thick Film Chip Resistor 0805/2012 +-1% 102 K Ohms 7" T & R Std ppm Tin(Sn)

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
45	RC2012F1500CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	2	380,000	-	Thick Film Chip Resistor 0805/2012 +-1% 150 Ohms 7" T & R Std ppm Tin(Sn)
46	RC2012F1541CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	2	520,000	-	Thick Film Chip Resistor 0805/2012 +-1% 1.54 K Ohms 7" T & R Std ppm Tin(Sn)
47	RC2012F1960CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	2	580,000	-	Thick Film Chip Resistor 0805/2012 +-1% 196 Ohms 7" T & R Std ppm Tin(Sn)
48	RC2012F3740CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	2	585,000	-	Thick Film Chip Resistor 0805/2012 +-1% 374 Ohms 7" T & R Std ppm Tin(Sn)
49	RC2012F4531CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	3	480,000	-	Thick Film Chip Resistor 0805/2012 +-1% 4.53 K Ohms 7" T & R Std ppm Tin(Sn)
50	RC2012F47R5CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	3	320,000	-	Thick Film Chip Resistor 0805/2012 +-1% 47.5 Ohms 7" T & R Std ppm Tin(Sn)
51	RC2012F69R8CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0805	2	600,000	-	Thick Film Chip Resistor 0805/2012 +-1% 69.8 Ohms 7" T & R Std ppm Tin(Sn)
52	RC3216F2493CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1206	1	5,000	-	Chip-R, 249 K Ohm, 1%, 1206(3216), 7"Reel, 1/4W, Thick Film Chip Resistor
53	RC3216F5762CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1206	1	70,000	-	Chip-R, 57.6 K Ohm, 1%, 1206(3216), 7"Reel, 1/4W, Thick Film Chip Resistor
54	RC3225F4871CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1210	1	80,000	-	Thick Film Chip Resistor 1210/3225 +-1% 4.87 K Ohms 7" T & R Std ppm Tin(Sn)
55	RC3225J151CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1210	1	280,000	-	Chip-R, 150 Ohm, 5%, 1210(3225), 7"Reel, 1/3W, Thick Film Chip Resistor
56	RC3225J2R2CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1210	2	45,000	-	Thick Film Chip Resistor 1210/3225 +-5% 2.2 Ohms 7" T & R Std ppm Tin(Sn)
57	RC3225J472CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1210	1	40,000	-	Chip-R, 4.7 K Ohm, 5%, 1210(3225), 7"Reel, 1/3W, Thick Film Chip Resistor
58	RC3225J510CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1210	2	25,000	-	Thick Film Chip Resistor 1210/3225 +-5% 51 Ohms 7" T & R Std ppm Tin(Sn)
59	RC5025J100CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C2010	1	4,000	-	Thick Film Chip Resistor 2010/5025 +-5% 10 Ohms 7" T & R Std ppm Tin(Sn)
60	RC6432J390CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C2512	1	16,000	-	Chip-R, 39 Ohm, 5%, 2512(6432), 7"Reel, 1W, Thick Film Chip Resistor
61	RN104PJ220CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0804	1	10,000	-	Chip Res Array, 0402x 4 resistors, 5%, 22 Ohm, 7"Reel, Concave Type
62	RN104PJ470CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0804	1	10,000	-	Chip Res Array, 0402x 4 resistors, 5%, 47 Ohm, 7"Reel, Concave Type
63	RN162PJ220AS-SMS-T30	SMS, Samsung Electro-Mechanics	Passive	T30	C0606	4	760,000	-	Chip Res Array, 0603x 2 resistors, 5%, 22 Ohm, 13" Reel, Concave Type
64	RN164PJ000CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C1206	1	10,000	-	Chip Res Array, 0603x 4 resistors, 5%, 0 Ohm Jumper, 7" Reel, Concave Type
65	RP102PJ220AS-SMS-T30	SMS, Samsung Electro-Mechanics	Passive	T30	C0404	5	1,880,000	-	Chip Res Array, 0402x 2 resistors, 5%, 22 Ohm, 13" Reel, Convex Type
66	RP102PJ3R0CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0404	1	40,000	-	Chip Res Array, 0402x 2 resistors, 5%, 3 Ohm, 7" Reel, Convex Type
67	RP102PJ5R1CS-SMS-T70	SMS, Samsung Electro-Mechanics	Passive	T70	C0404	1	10,000	-	Chip Res Array, 0402x 2 resistors, 5%, 5.1 Ohm, 7" Reel, Convex Type

Terms of Sale

All sales are final. Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.