

LOT DETAILS

Market Support - Surplus Sales | Lot 24.18 | Total Quantity (PCS): 679,727

Lot Summary

Warehouse	Los Angeles, California	Categories	Opto Devices
Number of Items	96	Total Quantity	679,727 PCS
Pallet Weight	896.0 lb (406.4 kg)	Pallet Dimensions	52.0 x 43.0 x 72.0 in (132.1 x 109.2 x 182.9 cm)
Sales Term	Complete pallet lot; sold as-is; all sales final; no returns.	Lot	Lot 24.18

Items

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
1	\$EL.LEDTESTER-EL-B	EL, EVERLIGHT	Optoelectronics	B	-	2	1,493	-	LED Tester
2	EL-IR204C-A-EL-B	EL, EVERLIGHT	Optoelectronics	B	R3	1	4,000	-	3mm(T-1) Infrared Round LED, Cut Flange, GaAIAs, ĩEp=940nm, Water Clear,Vf=1.2V(Typ.)at 20mA, Power min 4mW/sr, 35 Degree, in Reel Packing
3	EL-IR333C/H0/L1-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	12	32,500	-	5mm(T-1 3/4) Infrared Round LED, Cut Flange, GaAIAs, ĩEp=940nm, Water Clear, Vf=1.2V(Typ.)at 20mA,, Power min. 4.0mW/sr, 40 Degree, in Bulk Packing
4	EL-IRM8120/N-EL-B	EL, EVERLIGHT	Optoelectronics	B	Q1	1	160	-	15.3x15.3mm Square,Infrared Remote Control Receiver Module, 5-Lead, ĩEp=940nm,Vcc=4.3~5.7V, fo=37.9KHz,High Level Pulse Width TH=800us(Max.), Reception Distance 8m,45 Degree, in Bulk Packing
5	EL-SIR333-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	1	6,500	-	5mm(T-1 3/4) Infrared LED, Cut Flange,GaAIAs, ĩEp=875nm,Blue Lens, Ee=20mW/sr(Typ.)at 20mA, 20 Degree, in Bulk Packing
6	EL1003GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SX	1	6,000	-	3.8x6.3mm Rectangular, Green LED,GaP, 570nm, 4mcd(Typ.)at 10mA, Color Diffused,100 Degree, L=25.4mm, in Bulk packing
7	EL1003ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	SX	3	27,500	-	3.8x6.3mm Rectangular, Hi-Eff Red LED,GaAsP/GaP, 625nm, 4mcd(Typ.)at 10mA,Color Diffused,100 Degree, L=25.4mm, in Bulk packing
8	EL1003YD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SX	1	500	-	3.8x6.3mm Rectangular, Yellow LED,GaAsP/Gap, 590nm, 4mcd(Typ.)at 10mA,Color Diffused,100 Degree, L=25.4mm, in Bulk packing
9	EL103GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	T2	2	5,000	-	2mm Tower, Green LED,GaP, 570nm,6.3mcd(Typ.)at 10mA, Color Diffused, 90 Degree, L=25.5mm, in Bulk packing
10	EL1124ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	R2	1	3,000	-	1.8mm Round Type, Hi-Eff Red LED, GaAsP/GaP,625nm,1.6mcd(Typ.)at 10mA, Color Diffused, L=25.4mm, in Bulk Packing
11	EL134HC-EL-B	EL, EVERLIGHT	Optoelectronics	B	T2	1	3,000	-	2mm Tower, Bright Red LED,GaP, 650nm, 0.5mcd(Typ.)at 10mA , Water Clear, 30 Degree, L=25.4mm,in Bulk Packing
12	EL204EYW/R-EL-B	EL, EVERLIGHT	Optoelectronics	B	R3-2	1	5,000	-	3mm(T-1) Round,Bi-Color,Cut Flange,2-lead,Hi-Eff Red LED, GaAsP, 625nm,4.5mcd(Typ.)at 10mA,Yellow LED, GaAsP/GaP, 590nm,4.5mcd(Typ.)at 10mA,White Diffused,75 Degree,L=25.4mm,in Bulk Packing.
13	EL209EGW-EL-B	EL, EVERLIGHT	Optoelectronics	B	R3-3	5	37,500	-	3mm(T-1) Round, Bi-Color,Cut Flange, 3-lead, Hi-Eff Red,GaAsP/Gap, 625nm, 2.5mcd(Typ.)at 10mA, Green LED, GaP, 570nm,4.0mcd(Typ.)at 10mA, White Diffused, 70 degree, in Bulk packing
14	EL28-21VRC/TR8-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	2,000	-	SMD Lead Frame, G-Bend, Flat Top,Hi-Eff Red LED,GaAsP, 625nm, 3.5mcd(Typ.)at 20ma, Water Clear,150 Degree, in Reel Packing
15	EL331ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	2	7,500	-	5mm(T-1 3/4) Round,Cut Flange,Hi-Eff Red LED,GaAsP/GaP,625nm,6.3mcd(Typ.)at 10mA,Color Diffused, 60 Degree,L=20mm,in Bulk Packing
16	EL332GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	-	1	1,000	-	T-1 3/4 ECONOMIC TYPE RED/GREE

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
17	EL333US0C-X-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	2	1,500	-	5mm(T-1 3/4) Round,Cut Flange,Sunset Orange,AlGaInP,615nm,2000mcd(Typ.)at 20mA(X Bin), Water Clear, 15 Degree,L=25.4mm, in Bulk Packing.
18	EL333US0C-Y-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	1	2,000	-	5mm(T-1 3/4) Round,Cut Flange,Sunset Orange,AlGaInP,615nm,2000mcd(Typ.)at 20mA(Y Bin), Water Clear, 15 Degree,L=25.4mm, in Bulk Packing.
19	EL333UYC-X-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	1	6,000	-	5mm (T-13/4) Round,Cut Flange, Super Yellow LED, AlGaInP,589nm, 2000mcd(Typ.)at 20mA,Water Clear, 25 Degree,L=25.4mm, in Bulk Packing.
20	EL339-1EVGW-EL-BL	EL, EVERLIGHT	Optoelectronics	BL	-	1	500	-	5mm Bi-Color, 3-lead, Green (Gap, 570nm) typ. 4mcd(10ma)/ Yellow(GaAsP, 590nm), typ. 4mcd(10ma), White Diffused, 50 degree
21	EL339-1YGW-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5-3	2	3,500	-	5mm(T-1 3/4) Round,Bi-Color,Cut Flange,3-lead,Yellow LED, GaAsP/GaP, 590nm,4.0mcd(Typ.)at 10mA,Green LED,GaP, 570nm,4.0mcd(Typ.)at 10mA,White Diffused,50 Degree,L=25.4mm,in Bulk Packing.
22	EL339EGW/R2-EL-BL	EL, EVERLIGHT	Optoelectronics	BL	R5-3	1	2,000	-	5mm Bi-Color, 3-lead, Orange (GaAsP, 625nm)/ Green (GaP, 570nm), White Diffused, 50 degree
23	EL3534KGT-EL-B	EL, EVERLIGHT	Optoelectronics	B	-	1	28,000	-	EL3534KGT
24	EL3534KGT-EL-T	EL, EVERLIGHT	Optoelectronics	T	-	2	28,000	-	EL3534KGT
25	EL393ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	R8	1	4,250	-	7.9mm Round, Cut Flange, Hi-eff Red LED,GaAsP, 625nm, Red Diffused, 7.5mcd(Typ.)at 10mA, Color Diffused,36 Degree, in Bulk Packing
26	EL494EC-EL-B	EL, EVERLIGHT	Optoelectronics	B	F3	1	12,000	-	3mm Backlighting (T-1), Small Flange, Hi-Eff Red LED,GaAsP/Gap, 625nm, 2.5mcd(Typ.) at 10mA, Water Clear,120 Degree, in Bulk Packing
27	EL494GC-EL-B	EL, EVERLIGHT	Optoelectronics	B	F3	1	18,000	-	3mm Backlighting (T-1), Small Flange, Green LED,GaP, 570nm, 3.2mcd(Typ.)at 10mA,Water Clear, 110 Degree, in Bulk Packing
28	EL494IT-EL-B	EL, EVERLIGHT	Optoelectronics	B	F3	1	4,000	-	3mm Backlighting (T-1), Small Flange, Hi-Eff Red LED,GaAsP, 625nm, 2mcd(Typ.)at 10mA, Color Tinted, 110 Degree, in Bulk Packing
29	EL494YT-EL-B	EL, EVERLIGHT	Optoelectronics	B	F3	1	5,000	-	3mm Backlighting (T-1), Small Flange, Yellow LED,GaAsP, 590nm, 2mcd(Typ.)at 10mA, Color Tinted,110 Degree, in Bulk Packing
30	EL513GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	2	37,500	-	2x5mm Rectangular with Flange,Green LED,GaP,570nm,2.5mcd(typ.)at 10mA,Color Diffused,150 Degree,in Bulk Packing
31	EL514GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	2	16,000	-	2x5mm Rectangular with Flange, Green LED,GaP, 570nm, 1.6 mcd(Typ.) at 10mA, Green Diffused,180 Degree, in Bulk Packing
32	EL514HD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	2	18,000	-	2x5mm Rectangular with Flange, Low Current Bright Red LED,GaP, 650nm, 0.25(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing
33	EL514ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	1	22,000	-	2x5mm Rectangular with Flange, Hi-Eff Red LED,GaAsP, 625nm, 1.25mcd(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing
34	EL514YD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	1	1,000	-	2x5mm Rectangular with Flange, Yellow LED,GaAsP, 590nm, 1.25mcd(Typ.)at 10mA, Color Diffused,180 Degree, in Bulk Packing
35	EL524GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	1	12,500	-	2x5mm Rectangular, Green LED, GaP, 570nm,2.3mcd(Typ.)at 10mA, Color Diffused, 175 Degree, in Bulk Packing
36	EL524HD-EL-B	EL, EVERLIGHT	Optoelectronics	B	SF	1	4,000	-	2x5mm Rectangle, Low Current Bright Red LED, GaP, 650nm, 0.4 mcd(Typ.)at 10mA, Color Diffused, 175 Degree, in Bulk Packing
37	EL573GD/TR1-EL-A	EL, EVERLIGHT	Optoelectronics	A	SM	1	4,000	-	2.4 X 7.1 mm Rectangle, Green LED,GaP, 570nm, 2mcd(Typ.)at 10mA, Color Diffused, 180 Degree, in Ammo Packing
38	EL573YD/TR1-EL-A	EL, EVERLIGHT	Optoelectronics	A	SM	2	26,000	-	2.4 X 7.1 mm Rectangle, Yellow LED,GaAsP, 590nm, 2.5mcd(Typ.)at 10mA,Color Diffused, 130 Degree, in Ammo Packing
39	EL749-1HGW/S82-EL-BL	EL, EVERLIGHT	Optoelectronics	BL	-	1	9,500	-	2x5mm Rectangular, Multi-Color, Red/Green, White Diffused Lens; Iv(mcd) = 0.63(Red), 4(Green)
40	EL91-21EC-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1008	1	4,000	-	SMD LF Type,1.9 mm Round,Axial Straight,Hi-Eff Red LED,GaAsP/GaP, 625nm,24mcd(Typ.)at 20mA,25 Degree,in Bulk Packing
41	EL91-21GC/TR7-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	2	2,000	-	SMD LF Type,1.9 mm Round,G-Bend,Green LED, GaP, 565nm,21mcd(Typ.)at 20mA,25 Degree,in Reel Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
42	EL91-21VGCf5/2-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1008	2	37,000	-	SMD LF Type, 1.9mm Round,Axial Straight,Green LED,GaP, 571nm,50mcd(Typ.)at 20mA,25 Degree,in Bulk Packing
43	EL91-21VRC-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1008	1	24,000	-	SMD LF Type,1.9mm Round,Axial Straight,Hi-Eff Red LED,GaAsP/GaP, 625nm,25mcd(Typ.)at 20mA,25 Degree,in Bulk Packing
44	EL91-21VYC-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1008	2	4,000	-	SMD LF Type,1.9mm Round,Axial Straight,Yellow LED, GaAsP/GaP,590nm,25mcd(Typ.)at 20mA,25 Degree, in Bulk Packing
45	EL93-21VGC/F8-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1208	1	7,000	-	SMD Reflector Type,G-Bend,Flat Top,Green LED,GaP, 571nm,25mcd(Typ.)at 20mA,130 Degree,in Bulk Packing
46	EL94-22VGC-EL-B	EL, EVERLIGHT	Optoelectronics	B	M0840	1	38,000	-	SMD Reflecotr Type,Concave, Flat Top, Green LED,GaP, 571nm,35mcd(Typ.)at 20mA,130 Degree,in Bulk Packing
47	ELA14441W/H/TR1-EL-A	EL, EVERLIGHT	Optoelectronics	A	-	3	6,000	-	ELA14441W/H/TR1
48	ELA1444W/H/TR1-EL-A	EL, EVERLIGHT	Optoelectronics	A	-	4	8,000	-	ELA1444W/H/TR1
49	ELA214B/G-EL-B	EL, EVERLIGHT	Optoelectronics	B	A13-4.0	1	1,500	-	3mm(T-1) Circuit Board Indicator,Side View,1pcs,Green, GaP, 570nm, 10mcd(Typ)at 10mA, Color Diffused, 60 Degree, Std Blk Holder Size 4x5.3x6.4mm, L-Anode in Bulk Packing.
50	ELA264B/GY-EL-B	EL, EVERLIGHT	Optoelectronics	B	A13-H5.0	1	500	-	3mm(T-1) Circuit Board Indicator,Side View,Color Diffused,1pcs,Green LED,GaP,570nm,10mcd(Typ.)at 10mA, Yellow LED,GaAsP, 590nm, 10mcd(Typ.)at 10mA, 60 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing
51	ELA264B/H-EL-B	EL, EVERLIGHT	Optoelectronics	B	A13-H5.0	1	4,000	-	3mm(T-1) Circuit Board Indicator,Side View,1pcs,Low Current Bright Red, GaP, 650nm, 4.5mcd(Typ.)at 10mA,Color Diffused, 40 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing
52	ELA264B/Y-EL-B	EL, EVERLIGHT	Optoelectronics	B	A13-H5.0	1	2,000	-	3mm(T-1) Circuit Board Indicator,Side View,1pcs,Yellow, GaAsP, 585nm, Color Diffused, 4.5mcd(Typ.)at 10mA, 40 Degree, Blk Holder Size 4.6x6.35x7.4mm, R-Anode in Bulk Packing
53	ELA264BXI-EL-B	EL, EVERLIGHT	Optoelectronics	B	-	1	2,000	-	3mm(T-1) Circuit Board Indicator,
54	ELA694B/HG-EL-B	EL, EVERLIGHT	Optoelectronics	B	V23-5.0	1	2,970	-	3mm(T-1) Circuit Board Indicator,Side View,2pcs,Low Current Bright Red, GaP,650nm, 1.6mcd(Typ)at 10mA,Green, GaP,570nm,10mcd(Typ.)at 10mA,Color Diffused, 70 Degree, Blk Holder Size 4.3x9x9.7mm, L-Anode in Bulk Packing
55	ELA764B/HYG-EL-B	EL, EVERLIGHT	Optoelectronics	B	V33-6.6	1	640	-	LED Assembly for PCB, Side View,3mm 3pcs, T-1, Bright Red, GaP, 650nm, 1.4mcd(Typ)at 10mA,Green, GaP, 570nm, 6.5mcd(Typ)at 10mA,Yellow, GaAsP,590nm, 6.1mcd(Typ)at 10mA,Color Diffused, 40 Degree, Blk 4.3x14.5x15.3mm, L-Anode in Bulk Packing
56	ELA93B/H-EL-B	EL, EVERLIGHT	Optoelectronics	B	A15-5.0	1	9,000	-	5mm(T-1 3/4) Circuit Board Indicator,Side View,1pcs,Low Current Bright Red, GaP, 697nm, Color Diffused, 1.6mcd(Typ)at 10mA, 45 Degree, Blk Holder Size 6x6x9mm, L-Anode in Bulk Packing.
57	ELA93B/Y-EL-B	EL, EVERLIGHT	Optoelectronics	B	A15-5.0	1	1,000	-	5mm(T-1 3/4) Circuit Board Indicator,Side View,1pcs,Yellow, GaAsP, 585nm, Color Diffused, 5mcd(Typ)at 10mA, 45 Degree, Blk Holder Size 6x6x9mm, L-Anode in Bulk Packing.
58	ELD511GWA(M)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	560	-	0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.3mcd(Typ.)at 10mA,Common Cathode(M Bin), in Bulk Packing
59	ELD511GWA(N)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	200	-	0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.3mcd(Typ.)at 10mA,Common Cathode(N Bin), in Bulk Packing
60	ELD511HWB(J)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	400	-	0.56" Dual Digit Displays,Bright Red,GaP 650nm,Black,0.4mcd(Typ.)at 10mA,Common Cathode(J Bin), in Bulk Packing
61	ELD511HWB(K)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	200	-	0.56" Dual Digit Displays,Bright Red,GaP 650nm,Black,0.4mcd(Typ.)at 10mA,Common Cathode(K Bin), in Bulk Packing
62	ELD511RDB(2)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	200	-	0.56" Dual Digit Displays,Hyper Red,GaAsP,645nm,Black,0.5mcd(Typ.)at 10mA,Common Cathode (2 Bin), in Bulk Packing
63	ELD512GWA(P)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	200	-	0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.0mcd(Typ.)at 10mA,Common Anode(P Bin), in Bulk Packing
64	ELD512GWA(Q)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	400	-	0.56" Dual Digit Displays,Green,GaP, 570nm,Gray,2.0mcd(Typ.)at 10mA,Common Anode(Q Bin), in Bulk Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
65	ELD512HWB(J)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	1,520	-	0.56" Dual Digit Displays,Low current Bright Red,GaP, 697nm,Black,0.8mcd(Typ.)at 10mA,Common Anode(J Bin), in Bulk Packing
66	ELD512RDB(G)-EL-B	EL, EVERLIGHT	Optoelectronics	B	D56H8	1	600	-	0.56" Dua Digit Display,Hyper Red,GaAsP,645nm,Black,0.5mcd(Typ.)at 10mA,Commom Anode (G Bin), in Bulk Packing
67	ELF193GD-EL-B	EL, EVERLIGHT	Optoelectronics	B	T3	1	11,500	-	Blinking LED, 3mm Tower type,Pure Green, GaP,570nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing
68	ELF193ID-EL-B	EL, EVERLIGHT	Optoelectronics	B	T3	1	3,500	-	Blinking LED, 3mm Tower type,Hi-Eff Red,GaAsP/GaP,625nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing
69	ELF193SRD-EL-B	EL, EVERLIGHT	Optoelectronics	B	T3	1	6,000	-	Blinking LED, 3mm Tower type,Deep Hyper Red,GaAlAs,643nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing
70	ELF193YD-EL-B	EL, EVERLIGHT	Optoelectronics	B	T3	1	8,500	-	Blinking LED, 3mm Tower type,Yellow,GaAsP/GaP,590nm,0.8mcd(Typ)at 10mA,Color Diffused, 40 Degree,L=23.0mm,in Bulk Packing
71	ELITR8403-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1005	1	3,600	-	Opto Interrupters, Slot optical switch, Lug Mounting,Both Hand Sides,peak wavelength 940nm, 60 degree,Ic(on)>0.5mA,
72	ELM1001EWB(L)-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1509	2	450	-	1.2" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,3.5mcd(Typ.)at 10mA,Black,Cathode Column, Anode Row(L Bin), in Bulk Packing
73	ELM1001EWB(M)-EL-B	EL, EVERLIGHT	Optoelectronics	B	C1509	2	720	-	1.2" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,3.5mcd(Typ.)at 10mA,Black,Cathode Column, Anode Row(M Bin), in Bulk Packing
74	ELM2001IDR(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C2115	1	637	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row((K Bin), in Tube Packing
75	ELM2001IDR(L)-EL-B	EL, EVERLIGHT	Optoelectronics	B	C2115	1	60	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(L Bin), in Bulk Packing
76	ELM4001RWA(G)-EL-B	EL, EVERLIGHT	Optoelectronics	B	C4124	1	12	-	4.0" 5*7 Dot Matrix Display,Hyper Red LED,GaAsP,645nm,8.9mcd(Typ.)at 10mA,Gray,Cathode Column, Anode Row(G Bin), in Bulk Packing
77	ELPD438B-EL-B	EL, EVERLIGHT	Optoelectronics	B	H5	1	2,000	-	PIN Photodiode,4.8mm Semi-Circle Cylindrical,Silicon,I _{Ep} =980nm,Black Lens, Rise & Fall Time 50/50nS,V(BR)>=32V, IL=70uA(Typ.), ID<=30nA , in Bulk Packing
78	ELPT202C-EL-B	EL, EVERLIGHT	Optoelectronics	B	R3	1	20,000	-	3mm(T-1) Round Phototransistor,I _{Ep} =860nm, Water Clear,Ic(on)=.7mA(Min.) and 2.0mA(Typ.), Ic(off)<=100nA, VCEO=30V,VCE(sat)<=0.4V,Rise & Fall Time 15/15uS, in Bulk Packing
79	ELPT331C-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5	1	15,500	-	5mm(T-1 3/4) Round Phototransistor,I _{Ep} =940nm,Water Clear,Ic(on)=0.7mA(Min)and 2.5mA(Typ.),Ic(off)<=100nA, VCEO=30V, VCE(sat)<=0.4V,Rise & Fall Time 15/15uS,Water Clear,in Bulk Packing
80	ELS2325IDR(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S230H0	2	790	-	2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(P Bin), in Tube Packing
81	ELS316IDR(J)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S36V0	1	640	-	0.36" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,1.3mcd(Typ.)at 10mA,Common Anode,(J Bin), in Bulk Packing
82	ELS322IDR(K)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S30V4	1	480	-	0.3" Single Digit Display,Hi-Eff Red,GaAsP, 624nm,Red,0.7mcd(Typ.)at10mA,Common Anode(K Bin), in Bulk Packing
83	ELS512HWA(J)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	400	-	0.56" Single Digit Display,Bright Red GaP 650nm,Gray,0.36mcd(Typ.)at 10mA,Common Anode(J Bin), in Bulk Packing
84	ELS512HWB(J)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	400	-	0.56" Single Digit Display,Bright Red GaP 650nm,Black,0.36mcd(Typ.)at 10mA,Common Anode(J Bin),in Bulk Packing
85	ELS512HWB(K)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	2,800	-	0.56" Single Digit Display,Bright Red GaP 650nm,Black,0.36mcd(Typ.)at10mA,Common Anode(K Bin),in Bulk Packing
86	ELS512IDR(K)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	2,800	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.80mcd(Typ.)at10mA,Common Anode(J Bin),in Bulk Packing
87	ELS512IDR(M)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	240	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.80mcd(Typ.)at10mA,Common Anode(J Bin),in Bulk Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
88	ELS512RDB(F)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	2	1,600	-	0.56" Single Digit Display,Hyper Red, GaAsP,645nm, Black, 0.5mcd(Typ.)at 10mA,Common Anode(F Bin), in Bulk Packing
89	ELS512RDB-EL-B	EL, EVERLIGHT	Optoelectronics	B	S56H0	1	800	-	0.56" Single Digit Display,Hyper Red, GaAsP,645nm, Black, 0.5mcd(Typ.)at 10mA,Common Anode, in Bulk Packing
90	ELS515EWA(K)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S52H0	1	1,920	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(K Bin), in Bulk Packing
91	ELS515EWA(L)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S52H0	2	5,120	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(L Bin), in Bulk Packing
92	ELS515EWA(M)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S52H0	2	800	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Cathode(M Bin), in Bulk Packing
93	ELS516GWA(M)-EL-B	EL, EVERLIGHT	Optoelectronics	B	S52H0	1	2,800	-	0.52" Single Digit Display,Green,GaP, 570nm,Gray,6.3mcd(Typ.)at 10mA,Common Anode(M Bin),in Bulk Packing
94	ELT512EWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	T56H2	1	1,365	-	0.56" Triple Digit Display,Hi-Eff Red,GaAsP, 625nm,Gray,2.3mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing
95	TBN-GG4TR5-336-EL-B	EL, EVERLIGHT	Optoelectronics	B	R5-2	1	1,500	TBN-GG4TR5-336	5mm(T-1 3/4) Round,Bi-Color,Green LED,GaP, 570nm,2.5mcd(Typ.)at 10mA,Green LED,GaP, 570nm,2.5mcd(Typ.)at 10mAColor Diffused,54 Degree,L=25.4mm,in Bulk Packing.
96	TLN-H4R3-264-92-B	92, Taitron	Optoelectronics	B	R3	1	17,000	TLN-H4R3-264	3mm(T-1) Round,Small Flange,Hyper Red LED,GaAsP,645nm, 1.1mcd(Typ.)at 10mA,Color Diffused,60 Degree,L=25.4mm,in Bulk Packing.

Terms of Sale

All sales are final. Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.