

LOT DETAILS

Market Support - Surplus Sales | Lot 24.19 | Total Quantity (PCS): 129,116

Lot Summary

Warehouse	Los Angeles, California	Categories	Opto Devices
Number of Items	59	Total Quantity	129,116 PCS
Pallet Weight	Coming soon	Pallet Dimensions	Coming soon
Sales Term	Complete pallet lot; sold as-is; all sales final; no returns.	Lot	Lot 24.19

Items

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
1	EL31-01SURC-EL-C	EL, EVERLIGHT	Optoelectronics	C	W3	1	1,200	-	3mm Piranha, Super Red LED,AlGaInP, 624nm,1310mlm(Typ.)at 70mA, Water clear, 50 Degree, in Tube Packing
2	EL31-01URC-EL-C	EL, EVERLIGHT	Optoelectronics	C	-	1	1,800	-	High Power Piranha, Super Red(GaAlAs, 643nm), Water clear, 50 degree Viewing Angle
3	EL333HD/TR1-2-R-EL-TR	EL, EVERLIGHT	Optoelectronics	TR	R5	3	21,000	-	5mm(T-1 3/4) Round,Cut Flange,Bright Red LED,GaP,650nm,1.0(Typ.)at 10mA,60 Degree,in Reel Packing.
4	EL91-21EC/TR7-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	15,000	-	SMD LF Type,1.9 mm Round,G-Bend,Hi-Eff Red LED,GaAsP/GaP, 625nm, 24mcd(Typ.)at 20mA,25 Degree,in Reel Packing.
5	EL91-21EC/TR9-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	16,000	-	SMD LF Type,1.9 mm Round,Y-Bend,Hi-Eff Red LED,GaAsP/GaP 625nm, 24mcd(Typ.)at 20mA,25 Degree,in Reel Packing.
6	EL91-21GC/TR7-EL-T	EL, EVERLIGHT	Optoelectronics	T	C1008	1	12,000	-	SMD LF Type,1.9 mm Round,G-Bend,Green LED, GaP, 565nm,21mcd(Typ.)at 20mA,25 Degree,in Reel Packing
7	ELB1001EWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	1,083	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(K Bin), in Tube Packing.
8	ELB1001EWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	2	2,204	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(L Bin), in Tube Packing.
9	ELB1001EWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	19	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red LED,GaAsP, 625nm,Gray,2.8mcd(Typ.)at 10mA(M Bin), in Tube Packing.
10	ELB1001GWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	3	190	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Green LED,Gap 570nm,Gray,3.0mcd(Typ.)at 10mA(K Bin), in Tube Packing
11	ELB1001IDR-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	950	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Hi-Eff Red,GaAsP 625nm, 1.45mcd(Typ.)at 10mA, Red, in Tube Packing
12	ELB1001YWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	19	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Yellow LED,GaAsP, 590nm,Gray,1.5mcd(Typ.)at 10mA(K Bin), in Tube Packing
13	ELB1001YWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C1004	1	703	-	10 Bar Graph Display,25.3x10.1mm(1"x0.4"),Yellow LED,GaAsP, 590nm,Gray,1.5mcd(Typ.)at 10mA(M Bin), in Tube Packing
14	ELD316IDR(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	3,424	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(H bin), in Tube Packing
15	ELD316IDR(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	1	2,272	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(J bin), in Tube Packing
16	ELD316IDR(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	2,816	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(K bin), in Tube Packing
17	ELD316IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	3	9,888	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red,1.8mcd(Typ.)at 10mA,Common Anode(L bin),in Tube Packing
18	ELD316IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D30H0	2	2,464	-	0.3" Dual Digit Displays,Hi-eff Red,GaAsP, 625nm,Red, 1.8mcd(Typ.)at 10mA,Common Anode(M bin),in Tube Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
19	ELD511HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	2	1,120	-	0.56" Dual Digit Displays,Bright Red,GaP, 650nm,Red,0.4mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
20	ELD511HDB(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	1	140	-	0.56" Dual Digit Displays,Bright Red,GaP, 650nm,Red,0.4mcd(Typ.)at 10mA,Common Cathode(H Bin), in Tube Packing
21	ELD511IDR-EL-C	EL, EVERLIGHT	Optoelectronics	C	D56H8	2	1,640	-	0.56" Dual Digit Displays,Hi-Eff Red,GaAsP, 625nm,Red,2.0mcd(Typ.)at 10mA,Common Cathode, in Bulk Packing
22	ELF511EWA(J)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	70	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(J Bin), in Tube Packing
23	ELF511EWA(K)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	60	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(K Bin), in Tube Packing
24	ELF511EWA(L)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	2	780	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(L Bin), in Tube Packing
25	ELF511EWA(M)X-EL-C	EL, EVERLIGHT	Optoelectronics	C	Q56H2	1	90	-	0.56" Quadruple Digit Display,Hi-Eff Red,GaAsP/GaP,625nm,Gray,3.6mcd(Typ.)at 10mA,Commom Cathode(M Bin), in Tube Packing
26	ELM2001IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C2115	1	182	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(L Bin), in Tube Packing
27	ELM2001IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	C2115	2	338	-	2.0" 5*7 Dot Matrix Display,Hi-Eff Red,GaAsP,625nm,4.5mcd(Typ.)at 10mA,Red,Cathode Column, Anode Row(M Bin), in Tube Packing
28	ELS1002EWA(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S1RH4	2	990	-	1.0" Single Digit Display,Hi-Eff Red,GaAsP, 625nm,Gray,4.0mcd(Typ.)at 10mA,Common Anode(P Bin), in Tube Packing
29	ELS2325IDR(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S230H0	1	70	-	2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(N Bin), in Tube Packing
30	ELS2325IDR(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S230H0	2	180	-	2.3" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Red,Common Cathode(P Bin), in Tube Packing
31	ELS2326SRDR(S)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S2R3H0	3	280	-	2.3" Single Digit Displays,Deep Hyper Red,GaAlAs,643nm,Red,11mcd(Typ.)at 10mA,Common Anode(S Bin), in Tube Packing
32	ELS2326SRDR-EL-B	EL, EVERLIGHT	Optoelectronics	B	S2R3H0	3	270	-	2.3" Single Digit Displays,Deep Hyper Red,GaAlAs,643nm,Red,11mcd(Typ.)at 10mA,Common Anode, in Bulk Packing
33	ELS301HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V0	1	832	-	0.3" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black,0.3mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
34	ELS315SRWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	105	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)@10mA,Common Cathode
35	ELS315SRWA(P)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	630	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(P Bin), in Tube Packing.
36	ELS315SRWA(Q)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	2,100	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(Q Bin), in Tube Packing.
37	ELS315SRWA(R)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S36V0	1	2,065	-	0.36" Single Digit Display,Deep Hyper Red,GaAlAs 643nm,Gray,4.0mcd(Typ.)at 10mA,Common Cathode,(R Bin), in Tube Packing.
38	ELS321HDB(F)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	2	2,964	-	0.3" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black, 0.3mcd(Typ.)at 10mA,Common Cathode,(F Bin), in Tube Packing
39	ELS321RDB(D)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	2	104	-	0.3" Single Digit Display,Hyper Red,GaAsP, 645nm,Black, 0.5mcd(Typ.)at 10mA,Common Cathode(D Bin), in Tube Packing
40	ELS321RDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S30V4	1	78	-	0.3" Single Digit Display,Hyper Red,GaAsP, 645nm,Black, 0.5mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing

#	Part Number	Brand	Category	Package	Outline	Cartons	Quantity	Datasheet	Description
41	ELS422EWA(H)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	1	52	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray,1.7mcd(Typ.)at 10mA,Common Anode(H Bin), in Tube Packing
42	ELS422EWA(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	2	2,002	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray,1.7mcd(Typ.)at 10mA,Common Anode(J Bin), in Tube Packing
43	ELS422EWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	2	910	-	0.43" Single Digit Display,Hi-eff Red,GaAsP, 625nm,Gray,1.7mcd(Typ.)at 10mA,Common Anode(K Bin), in Tube Packing
44	ELS422HWB(E)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S43V4	1	1,352	-	0.43" Single Digit Display,Low Current Bright Red,GaP, 650nm,Black,0.5mcd(Typ.)at 10mA,Common Anode(E Bin), in Tube Packing
45	ELS511HDB(F)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	560	-	0.56" Single Digit Display, Bright Red, Gap 650nm,Black,0.36mcd(Typ.)at 10mA,Common Cathode(F Bin), in Tube Packing
46	ELS511HDB(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	680	-	0.56" Single Digit Display, Bright Red, Gap 650nm,Black,0.36mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
47	ELS511IDR(G)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	40	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(G Bin), in Tube Packing
48	ELS511IDR(J)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	720	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(J Bin),in Tube Packing
49	ELS511IDR(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	4	6,880	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(K Bin),in Tube Packing
50	ELS511IDR(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	3	320	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(L Bin),in Tube Packing
51	ELS511IDR(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	200	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(M Bin), in Tube Packing
52	ELS511IDR(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	40	-	0.56" Single Digit Display,Hi-eff Red,GaAsP 625nm,Red,0.8mcd(Typ.)at 10mA,Common Cathode(N Bin), in Tube Packing
53	ELS512GWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	1	520	-	0.56" Single Digit Display,Green ,GaP 570nm,Gray,3.40mcd(Typ.)at 10mA,Common Anode(L Bin), in Tube Packing
54	ELS512GWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S56H0	2	2,120	-	0.56" Single Digit Display,Green ,GaP 570nm,Gray,3.40mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing
55	ELS515GWA(K)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	40	-	0.52" Single Digit Display,Green,GaP 570nm,Gray,6.3mcd(Typ.)at 10mA,Common Cathode(K Bin), in Tube Packing
56	ELS515GWA-EL-TU	EL, EVERLIGHT	Optoelectronics	TU	S52H0	1	3,520	-	0.52" Single Digit Display,Green,GaP,570nm,Gray,6.3mcd(Typ.)at 10mA,Common Cathode, in Tube Packing, RoHS
57	ELS516EWA(L)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	800	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(L Bin), in Tube Packing
58	ELS516EWA(M)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	160	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(M Bin), in Tube Packing
59	ELS516EWA(N)-EL-C	EL, EVERLIGHT	Optoelectronics	C	S52H0	1	80	-	0.52" Single Digit Display,Hi-Eff Red,GaAsP,625nm,Gray,3.2mcd(Typ.)at 10mA,Common Anode(N Bin), in Tube Packing

Terms of Sale

All sales are final. Products are sold as-is, as complete pallet lots, with no returns. Bids are based on ex-warehouse terms. The buyer is responsible for freight, pickup, export/import requirements, taxes, duties, and applicable handling or compliance costs. Availability is subject to prior sale, bid acceptance, and final confirmation by Taitron Components.